

TEST REPORT

Issued to: Agreco Technologies Private Limited

56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-281

ULR Code: TC5503 26 0 00044899 F

Issue Date: 11/05/2026

Sample Receipt Date: 06/05/2026

Account Manager: BD Team 27

Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample

Batch no.

: **Garam Masala**

: RKRK-GARAM-001

Laboratory Provided Information:

Sample Receiving Condition

Sample Quantity & Packaging

Date of Performance of Test

Method of Sampling

Sample Picked by

: Fit for Analysis

: 1X250g, Polypack

: 06th -11th May, 2026

: FL/SOP/B/D-03

: Mr. Nitender Kumar (FARE Labs Representative) at
the Premises of Agreco Technologies Private Limited



Analysis Report

Physical Description: Garam Masala, free from foreign matter.

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Heavy Metals:-				
1	Lead, mg/kg	BLQ, [LOQ-0.1]	NMT 10	FL/SOP/12-17
3	Arsenic, mg/kg	BLQ, [LOQ-0.1]	NMT 5.0	FL/SOP/12-17
5	Cadmium, mg/kg	BLQ, [LOQ-0.1]	NMT 1.5	FL/SOP/12-17
6	Mercury, mg/kg	BLQ, [LOQ-0.1]	NMT 1.0	FL/SOP/12-17
Mycotoxins(µg/kg):-				
1	Total Aflatoxins(B1, B2 , G1 & G2)	BLQ, [LOQ-1]	NMT 30	FL/SOP/04-01
2	Aflatoxin B1	BLQ, [LOQ-1]	NMT 15	FL/SOP/04-01
Other Contaminant , mg/kg:-				
1	Melamine	BLQ, [LOQ-0.05]	NMT 2.5	FL/SOP/04-02

Reviewed By

Page 1 of 8

Authorised Signatory
Mr. Mithlesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-281
ULR Code: TC5503 26 0 00044899 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
1.	Azoxystrobin	BLQ, [LOQ-0.005]	NMT 0.03	FL/SOP/05-01
2.	Mancozeb as CS2	BLQ, [LOQ-0.005]	NMT 10	FL/SOP/05-04
3.	Metiram as CS2	BLQ, [LOQ-0.005]	NMT 10	FL/SOP/05-04
4.	Epoxyconazole	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
5.	Oxadiazyl	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
6.	Picoxystrobin	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
7.	Pyraclostrobin	BLQ, [LOQ-0.005]	NMT 0.02	FL/SOP/03-01
8.	Thiamethoxam	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
9.	Copper Oxychloride as copper	BLQ, [LOQ-0.005]	NMT 30	FL/SOP/12-04
10.	Copper Sulphate as copper	BLQ, [LOQ-0.005]	NMT 30	FL/SOP/12-04
11.	Diafenthiuron	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
12.	Fosetyl-Al	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
13.	Monocrotophos	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
14.	Quinalphos	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
15.	Metalaxyl-M	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
16.	2,4-Dichlorophenoxy Acetic Acid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
17.	Acephate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
18.	Acetamiprid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
19.	Alachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
20.	Alpha naphthyl Acetic Acid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
21.	Ametroctradin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
22.	Anilophos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
23.	Atrazine	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
24.	Azimsulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
25.	Benfuracarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
26.	Sum of benomyl and carbendazim expressed as carbendazim	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
27.	Bensulfuron Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
28.	Beta Cyfluthrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
29.	Bifenthrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
30.	Bispyribac Sodium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
31.	Bitertanol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
32.	Buprofezin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
33.	Butachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
34.	Captan	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
35.	Carbaryl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
36.	Carbendazim	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
37.	Carbofuran	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
38.	Carbosulfan	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
39.	Carfentrazone Ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
40.	Carpropamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 2 of 8

Authorised Signatory

Mr. Mithlesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
 56-57, Shakti Nagar, Jln Marg, 56-57,
 Shakti Nagar, Jaipur, Rajasthan, 302017,
 India

J.O. No.: FL/FA/06052026-281
 ULR Code: TC5503 26 0 00044899 F
 Issue Date: 11/05/2026
 Sample Receipt Date: 06/05/2026
 Account Manager: BD Team 27
 Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
41.	Cartap Hydrochloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
42.	Chlorantraniliprole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
43.	Chlorfenapyr	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
44.	Chlorfluazuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
45.	Chlorimuron ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
46.	Chlormequat Chloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
47.	Chlorothalonil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
48.	Chlorpropham	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
49.	Chlorpyrifos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
50.	Chlothianidin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
51.	Chromafenozide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
52.	Cinmethylen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
53.	Clodinafop-propargyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
54.	Clomazone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
55.	Copper Hydroxide as copper	BLQ, [LOQ-0.005]	NMT 30	FL/SOP/10-10
56.	Cuprous Oxide as copper	BLQ, [LOQ-0.005]	NMT 30	FL/SOP/10-10
57.	Cyantranilipole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
58.	Cyazofamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
59.	Cyhalofop-butyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
60.	Cymoxanil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
61.	Cypermethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
62.	Alpha Cypermethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
63.	Deltamethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
64.	Dichlorvos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
65.	Diclofop	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
66.	Diclosulam	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
67.	Dicofol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
68.	Difenoconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
69.	Diiflubenzuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
70.	Dimethoate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
71.	Dimethomorph	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
72.	Dinocap	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
73.	Dinotefuran	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
74.	Dithianon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
75.	Dithiocarbamates as cs2	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-04
76.	Ethylene bis- dithiocarbamates as CS2	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-04
77.	Zineb as CS2	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-04
78.	Diuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
79.	Dodine	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
80.	Edifenphos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 3 of 8

Authorised Signatory
 Mr. Mithillesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-281
ULR Code: TC5503 26 0 00044899 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
81.	Emamectin Benzoate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
82.	Ethephon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
83.	Ethion	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
84.	Ethofenprox	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
85.	Ethoxysulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
86.	Etoxadole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
87.	Famoxadone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
88.	Fenamidone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
89.	Fenarimol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
90.	Fenazaquin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
91.	Fenobucarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
92.	Fenoxaprop-p-ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
93.	Fenpropathrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
94.	Fenpyroximate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
95.	Fenvalerate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
96.	Fipronil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
97.	Fonicamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
98.	Fluazifop-p-butyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
99.	Flubendiamide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
100.	Fluchloralin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
101.	Flufenacet	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
102.	Flusilazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
103.	Fluvalinate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
104.	Forchlorfenuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
105.	Glufosinate Ammonium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
106.	Glyphosate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
107.	Halosulfuron methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
108.	Hexaconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
109.	Hexazinone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
110.	Hexythiazox	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
111.	Hydrogen Cyanamide as Cyanamide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/01-126
112.	Iodosulfuron Methyl Sodium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
113.	Imazethapyr	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
114.	Imidacloprid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
115.	Indoxacarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
116.	Iprobenfos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
117.	Iprodione	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
118.	Isoprothiolane	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
119.	Isoproturon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
120.	Kasugamycin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 4 of 8

Authorised Signatory
Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report_confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-281
ULR Code: TC5503 26 0 00044899 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
121.	Kresoxim Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
122.	Lambda cyhalothrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
123.	Linuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
124.	Lufenuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
125.	Malathion	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
126.	Mandipropamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
127.	Mepiquat Chloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
128.	Mesosulfuron Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
129.	Metaflumizone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
130.	Metalaxyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
131.	Methabenzthiazuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
132.	Methomyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
133.	Methyl Chlorophenoxy Acetic Acid (MCPA)	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
134.	Methyl Parathion (combined residues of methyl parathion and its oxygen analogue to be determined and expressed as methyl parathion)	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
135.	Metolachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
136.	Metribuzin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
137.	Metsulfuron Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
138.	Milbemectin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
139.	Myclobutanil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
140.	Novaluron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
141.	Orthosulfamuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
142.	Oxadiazon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
143.	Oxydemeton-Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
144.	Oxyfluorfen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
145.	Paclobutrazol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
146.	Paraquat dichloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
147.	Penconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
148.	Pencycuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
149.	Pendimethalin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
150.	Penoxuslum	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
151.	Permethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
152.	Phenthoate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
153.	Phorate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
154.	Phosalone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
155.	Pinoxaden	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
156.	Pretilachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
157.	Pirimiphos-methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
158.	Profenofos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
159.	Prohexadione calcium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
160.	Propaquizafop	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 5 of 8

Authorised Signatory
Mr. Mihilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE LABS, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9212664533. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-281
ULR Code: TC5503 26 0 00044899 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
161.	Propargite	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
162.	Propiconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
163.	Propineb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
164.	Pyrazosulfuron ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
165.	Pyridalyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
166.	Pyriproxyfen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
167.	Pyriproxyfen Sodium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
168.	Pymetrozine	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
169.	Quinalofop ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
170.	Quinalofop-P-tefuryl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
171.	Sodium Aceflurofen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
172.	Spinosad	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
173.	Spiromesifen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
174.	Sulfosulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
175.	Tebuconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
176.	Thiadicprid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
177.	Thifluzamide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
178.	Thiodicarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
179.	Thiometon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
180.	Thiophanate-Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
181.	Tolfenpyrad	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
182.	Trichlorfon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
183.	Triacntanol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
184.	Triadimefon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
185.	Trifloxystrobin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
186.	Triallate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
187.	Triasulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
188.	Triazophos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
189.	Tricyclazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
190.	Tridemorph	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
191.	Trifluralin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
192.	Validamycin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
193.	Fluopicolide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
194.	Tembotrione	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
195.	Propanil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
196.	Fluopyram and its metabolites	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
197.	Topramezone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
198.	Thiocyclam Hydrogen Oxalate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
199.	2,4-D Amine Salt	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
200.	Ametryn	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 6 of 8

Authorised Signatory

Mr. Mithlesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-281
ULR Code: TC5503 26 0 00044899 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
201.	Fomesafen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
202.	Imazamox	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
203.	Spinetoram	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
204.	Sodium Para Nitro Phenolate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
205.	Bentazone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
206.	Cyflumetofen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
207.	Boscalid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
208.	Flucetosulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
209.	Haloxyfop-R Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
210.	Sulfentrazone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
211.	Spirotetramat	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
212.	Metrafenone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
213.	Fluxapyroxad	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
214.	Tetraconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
215.	Abamectin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
216.	Flupyradifuronee	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
217.	Sulfoxaflor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By 

Page 7 of 8

Authorised Signatory
Mr. Mithlesh Kumar, Scientist-B 

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELabs.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
 56-57, Shakti Nagar, Jln Marg, 56-57,
 Shakti Nagar, Jaipur, Rajasthan, 302017,
 India

J.O. No.: FL/FA/06052026-281
 ULR Code: TC5503 26 0 00044899 F
 Issue Date: 11/05/2026
 Sample Receipt Date: 06/05/2026
 Account Manager: BD Team 27
 Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Banned Pesticides, mg/kg :				
1.	Aldicarb	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
2.	Aldrin	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
3.	Dieldrin	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
4.	Chlordane	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
5.	Heptachlor	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
6.	Lindane (Gamma-HCH)	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
7.	Endosulfan	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
8.	Phosphamidon	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
9.	Captafol	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
10.	Formothion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
11.	Simazine	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
12.	Diazinon	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
13.	2,4-DDD	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
14.	4,4-DDD	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
15.	2,4-DDE	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
16.	4,4-DDE	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
17.	2,4-DDT	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
18.	4,4-DDT	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
19.	Fenitrothion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
20.	Fenthion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
21.	Methyl Parathion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
22.	Ethyl Parathion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
23.	Ferbam as CS2	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-04

LOQ=Limit of Quantification; **BLQ=**Below Limit of Quantification; **NMT=**Not More Than

Inference: The tested sample **conforms** to FSSR, 2011 w.r.t. above test only.

Note: This report is issued exclusively for domestic use and is not intended for export purposes.

Reviewed By

Page 8 of 8

Authorised Signatory
 Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664523. The Sample is not drawn by FARELABS.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

****End of Report****