

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-283
ULR Code: TC5503 26 0 00044901 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample
Batch no.

: **Chat Masala**
: RKRK-CHATM-001

Laboratory Provided Information:

Sample Receiving Condition
Sample Quantity & Packaging
Date of Performance of Test
Method of Sampling
Sample Picked by

: Fit for Analysis
: 1X250g, Polypack
: 06th -11th May, 2026
: FL/SOP/B/D-03
: Mr. Nitender Kumar (FARE Labs Representative) at
the Premises of Agreco Technologies Private Limited



Analysis Report

Physical Description: Chat Masala, free from foreign matter.

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Heavy Metals:-				
1	Lead, mg/kg	BLQ,[LOQ-0.1]	NMT 10	FL/SOP/12-17
2	Arsenic, mg/kg	BLQ,[LOQ-0.1]	NMT 5.0	FL/SOP/12-17
3	Cadmium, mg/kg	BLQ,[LOQ-0.1]	NMT 1.5	FL/SOP/12-17
4	Mercury, mg/kg	BLQ,[LOQ-0.1]	NMT 1.0	FL/SOP/12-17
Mycotoxins(µg/kg):-				
1	Total Aflatoxins (B1, B2, G1 & G2)	BLQ, [LOQ-1]	NMT 30	FL/SOP/04-01
2	Aflatoxin B1	BLQ, [LOQ-1]	NMT 15	FL/SOP/04-01
Other Contaminant, mg/kg:-				
1	Melamine	BLQ, [LOQ-0.05]	NMT 2.5	FL/SOP/04-02

Nave
Reviewed By

Page 1 of 6

Authorised Signatory
Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
 56-57, Shakti Nagar, Jln Marg, 56-57,
 Shakti Nagar, Jaipur, Rajasthan, 302017,
 India

J.O. No. : FL/FA/06052026-283
 ULR Code: TC5503 26 0 00044901 F
 Issue Date: 11/05/2026
 Sample Receipt Date: 06/05/2026
 Account Manager: BD Team 27
 Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
1.	Azoxystrobin	BLQ, [LOQ-0.005]	NMT 0.03	FL/SOP/05-01
2.	Mancozeb as CS2	BLQ, [LOQ-0.005]	NMT 10	FL/SOP/05-04
3.	Metiram as CS2	BLQ, [LOQ-0.005]	NMT 10	FL/SOP/05-04
4.	Epoxyconazole	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
5.	Oxadiazyl	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
6.	Picoxystrobin	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
7.	Pyraclostrobin	BLQ, [LOQ-0.005]	NMT 0.02	FL/SOP/03-01
8.	Thiamethoxam	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
9.	Copper Sulphate as copper	VALUE OF COPPER	NMT 30	FL/SOP/12-02
10.	Cuprous Oxide as copper	VALUE OF COPPER	NMT 30	FL/SOP/12-02
11.	Cymoxanil	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
12.	Diafenthiuron	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
13.	Imidacloprid	BLQ, [LOQ-0.005]	NMT 1	FL/SOP/03-01
14.	Monocrotophos	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
15.	Phosalone	BLQ, [LOQ-0.005]	NMT 1	FL/SOP/05-01
16.	Quinalphos	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
17.	Alpha naphthyl Acetic Acid	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
18.	Sum of benomyl and carbendazim expressed as carbendazim	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/03-01
19.	Buprofezin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
20.	Carbendazim	BLQ, [LOQ-0.005]	NMT 5	FL/SOP/03-01
21.	Deltamethrin	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
22.	Dinocap	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
23.	Ethephon	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/03-01
24.	Hexaconazole	BLQ, [LOQ-0.005]	NMT 0.02	FL/SOP/03-01
25.	Lambda cyhalothrin	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/05-01
26.	Paclbutrazol	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
27.	Penconazole	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
28.	Tebuconazole	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
29.	Triadimefon	BLQ, [LOQ-0.005]	NMT 0.03	FL/SOP/03-01
30.	Trifloxystrobin	BLQ, [LOQ-0.005]	NMT 0.4	FL/SOP/03-01
31.	Tridemorph	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
32.	2,4-Dichlorophenoxy Acetic Acid	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/03-01
33.	Captan	BLQ, [LOQ-0.005]	NMT 15	FL/SOP/05-01
34.	Carbofuran	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
35.	Chlorpyrifos	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/05-01
36.	Copper Oxchloride as copper	Value of copper	NMT 30	FL/SOP/10-10
37.	Dichlorvos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
38.	Dicofol	BLQ, [LOQ-0.005]	NMT 5	FL/SOP/05-01
39.	Dimethoate	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/03-01
40.	Ethylene bis- dithiocarbamates as CS2	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-04

Reviewed By

Page 2 of 8

Authorised Signatory
 Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested and not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9212664523. The Sample is not drawn by FARELABS.

⚠: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
 56-57, Shakti Nagar, Jln Marg, 56-57,
 Shakti Nagar, Jaipur, Rajasthan, 302017,
 India

J.O. No.: FL/FA/06052026-283
 ULR Code: TC5503 26 0 00044901 F
 Issue Date: 11/05/2026
 Sample Receipt Date: 06/05/2026
 Account Manager: BD Team 27
 Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
41.	Ethion	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/05-01
42.	Malathion	BLQ, [LOQ-0.005]	NMT 4	FL/SOP/05-01
43.	Paraquat dichloride	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/03-01
44.	Phorate	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
45.	Thiometon	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/05-01
46.	Trichlorfon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
47.	Acetamiprid	BLQ, [LOQ-0.005]	NMT 20	FL/SOP/03-01
48.	Carbaryl	BLQ, [LOQ-0.005]	NMT 50	FL/SOP/03-01
49.	Carbosulfan	BLQ, [LOQ-0.005]	NMT 20	FL/SOP/03-01
50.	Chlorantraniliprole	BLQ, [LOQ-0.005]	NMT 6	FL/SOP/03-01
51.	Chlorfenapyr	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/05-01
52.	Cyantranilipole	BLQ, [LOQ-0.005]	NMT 5	FL/SOP/03-01
53.	Difenoconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
54.	Dithiocarbamates as CS2	BLQ, [LOQ-0.005]	NMT 10	FL/SOP/05-04
55.	Fenazaquin	BLQ, [LOQ-0.005]	NMT 5	FL/SOP/03-01
56.	Fenpropathrin	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/05-01
57.	Fenpyroximate	BLQ, [LOQ-0.005]	NMT 10	FL/SOP/03-01
58.	Fipronil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
59.	Flubendiamide	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
60.	Flusilazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
61.	Hexythiazox	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
62.	Indoxacarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
63.	Kresoxim Methyl	BLQ, [LOQ-0.005]	NMT 1.5	FL/SOP/05-01
64.	Lufenuron	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
65.	Metalaxyl-M	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
66.	Methomyl	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
67.	Milbemectin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
68.	Myclobutanil	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/03-01
69.	Novaluron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
70.	Oxydemeton-Methyl	BLQ, [LOQ-0.005]	NMT 20	FL/SOP/03-01
71.	Pendimethalin	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/05-01
72.	Propargite	BLQ, [LOQ-0.005]	NMT 20	FL/SOP/03-01
73.	Propineb	BLQ, [LOQ-0.005]	NMT 20	FL/SOP/05-01
74.	Pyridalyl	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
75.	Pyriproxyfen	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
76.	Spinosad	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
77.	Spiromesifen	BLQ, [LOQ-0.005]	NMT 1	FL/SOP/03-01
78.	Thiacloprid	BLQ, [LOQ-0.005]	NMT 0.2	FL/SOP/03-01
79.	Thiodicarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
80.	Triazophos	BLQ, [LOQ-0.005]	NMT 2	FL/SOP/03-01

Reviewed By

Page 3 of 8

Authorised Signatory
 Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE LABS, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at fare999@farelabs.com and call at +91 9912664933. The Sample is not drawn by FARELABS.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited

56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-283
ULR Code: TC5503 26 0 00044901 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
81.	Tricyclazole	BLQ, [LOQ-0.005]	NMT 3	FL/SOP/03-01
82.	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
83.	Spirotetramat	BLQ, [LOQ-0.005]	NMT 20	FL/SOP/03-01
84.	Abamectin	BLQ, [LOQ-0.005]	NMT 0.5	FL/SOP/03-01
85.	Acephate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
86.	Alachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
87.	Ametroctradin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
88.	Anilophos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
89.	Atrazine	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
90.	Azimsulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
91.	Benfuracarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
92.	Bensulfuron Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
93.	Beta Cyfluthrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
94.	Bifenthrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
95.	Bispyribac Sodium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
96.	Bitertanol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
97.	Butachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
98.	Carfentrazone Ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
99.	Carpropamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
100.	Cartap Hydrochloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
101.	Chlorfluazuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
102.	Chlorimuron ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
103.	Chloromequat Chloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
104.	Chlorothalonil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
105.	Chlorpropham	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
106.	Chlothianidin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
107.	Chromafenozide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
108.	Cinmethylen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
109.	Clodinafop-propargyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
110.	Clomazone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
111.	Copper Hydroxide as copper	Value of copper	NMT 30	FL/SOP/10-10
112.	Cyazofamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
113.	Cyhalofop-butyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
114.	Cypermethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
115.	Alpha Cypermethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
116.	Diclofop	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
117.	Diclosulam	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
118.	Diflufenbuzon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
119.	Dimethomorph	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
120.	Dinotefuran	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 4 of 8

Authorised Signatory
Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoice amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at Feedback@farelabs.com and call at +91-9212645112. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-283
ULR Code: TC5503 26 0 00044901 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
121.	Dithianon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
122.	Zineb as CS2	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-04
123.	Diuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
124.	Dodine	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
125.	Edifenphos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
126.	Emamectin Benzoate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
127.	Ethofenprox	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
128.	Ethoxysulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
129.	Etoxazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
130.	Famoxadone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
131.	Fenamidone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
132.	Fenarimol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
133.	Fenobucarb	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
134.	Fenoxaprop-p-ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
135.	Fenvalerate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
136.	Fonicamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
137.	Fluazifop-p-butyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
138.	Fluchloralin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
139.	Flufenacet	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
140.	Fluvalinate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
141.	Forchlorfenuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
142.	Fosetyl-Al	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
143.	Glufosinate Ammonium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
144.	Glyphosate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
145.	Halosulfuron methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
146.	Hexazinone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
147.	Hydrogen Cyanamide as Cyanamide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/01-126
148.	Iodosulfuron Methyl Sodium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
149.	Imazethapyr	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
150.	Iprobenfos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
151.	Iprodione	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
152.	Isoprothiolane	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
153.	Isoproturon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
154.	Kasugamycin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
155.	Linuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
156.	Mandipropamid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
157.	Mepiquat Chloride	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
158.	Mesosulfuron Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
159.	Metaflumizone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
160.	Metalaxyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 5 of 8

Authorised Signatory
Mr. Mithilesh Kumar Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of the report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9311664533. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-283
ULR Code: TC5503 26 0 00044901 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
161.	Methabenzthiazuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
162.	Methyl Chlorophenoxy Acetic Acid (MCPA)	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
163.	Methyl Parathion (combined residues of methyl parathion and its oxygen analogue to be determined and expressed as methyl parathion)	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
164.	Metolachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
165.	Metribuzin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
166.	Metsulfuron Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
167.	Orthosulfamuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
168.	Oxadiazon	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
169.	Oxyfluorfen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
170.	Pencycuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
171.	Penoxuslum	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
172.	Permethrin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
173.	Phenthoate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
174.	Pinoxaden	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
175.	Pretilachlor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
176.	Pirimiphos-methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
177.	Profenofos	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
178.	Prohexadione calcium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
179.	Propaquizafop	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
180.	Propiconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
181.	Pyrazosulfuron ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
182.	Pyriithiolac Sodium	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
183.	Pymetrozine	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
184.	Quizalofop ethyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
185.	Quizalofop-P-tefuryl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
186.	Sodium Aceflurofen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
187.	Sulfosulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
188.	Thifluzamide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
189.	Thiophanate-Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
190.	Tolfenpyrad	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
191.	Triacantanol	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
192.	Triallate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
193.	Triasulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
194.	Trifluralin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/05-01
195.	Validamycin	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
196.	Fluopicolide	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
197.	Tembotrione	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
198.	Propanil	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
199.	Fluopyram and its metabolites	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
200.	Topramezone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 6 of 8

Authorised Signatory
Mr. Mithilash Kumar / Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE LABS, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
56-57, Shakti Nagar, Jln Marg, 56-57,
Shakti Nagar, Jaipur, Rajasthan, 302017,
India

J.O. No.: FL/FA/06052026-283
ULR Code: TC5503 26 0 00044901 F
Issue Date: 11/05/2026
Sample Receipt Date: 06/05/2026
Account Manager: BD Team 27
Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:-				
201.	Thiocyclam Hydrogen Oxalate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
202.	2,4-D Amine Salt	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
203.	Ametyrn	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
204.	Fomesafen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
205.	Imazamox	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
206.	Sodium Para Nitro Phenolate	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
207.	Bentazone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
208.	Cyflumetofen	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
209.	Boscalid	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
210.	Flucetosulfuron	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
211.	Haloxypop-R Methyl	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
212.	Sulfentrazone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
213.	Metrafenone	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
214.	Fluxapyroxad	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
215.	Tetraconazole	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
216.	Flupyradifuronee	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01
217.	Sulfoxaflor	BLQ, [LOQ-0.005]	NMT 0.1	FL/SOP/03-01

Reviewed By

Page 7 of 8

Authorised Signatory
Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com, FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9317664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Agreco Technologies Private Limited
 56-57, Shakti Nagar, Jln Marg, 56-57,
 Shakti Nagar, Jaipur, Rajasthan, 302017,
 India

J.O. No.: FL/FA/06052026-283
 ULR Code: TC5503 26 0 00044901 F
 Issue Date: 11/05/2026
 Sample Receipt Date: 06/05/2026
 Account Manager: BD Team 27
 Credit Manager: Gulab Singh



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Banned Pesticides, mg/kg :-				
1	Aldicarb	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
2	Aldrin	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
3	Dieldrin	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
4	Chlordane	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
5	Heptachlor	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
6	Lindane (Gamma-HCH)	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
7	Endosulfan	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
8	Phosphamidon	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
9	Captafol	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
10	Formothion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
11	Simazine	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/03-01
12	Diazinon	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
13	2,4-DDD	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
14	4,4-DDD	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
15	2,4-DDE	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
16	4,4-DDE	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
17	2,4-DDT	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
18	4,4-DDT	BLQ, [LOQ-0.005]	NMT 0.05	FL/SOP/05-01
19	Fenitrothion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
20	Fenthion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
21	Ethyl Parathion	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-01
22	Ferbam as CS2	BLQ, [LOQ-0.005]	NMT 0.01	FL/SOP/05-04

LOQ=Limit of Quantification; **BLQ**=Below Limit of Quantification; **NMT**=Not More Than

Inference: The tested sample **conforms** to FSSR, 2011 w.r.t. above test only.

Note: This report is issued exclusively for domestic use and is not intended for export purposes.

Reviewed By

Page 8 of 8

Authorised Signatory
 Mr. Mithilesh Kumar, Scientist-B

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9312664533. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

****End of Report****